

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/698,061	10/31/2003	Soumya Banerjee	1778.0220000	7765
26111 75	5111 7590 02/28/2006		EXAMINER	
STERNE, KESSLER, GOLDSTEIN & FOX PLLC 1100 NEW YORK AVENUE, N.W.			CODY, DILLON J	
	WASHINGTON, DC 20005		ART UNIT	PAPER NUMBER
			2183	
			DATE MAILED: 02/28/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/698,061	BANERJEE ET AL.				
Office Action Summary	Examiner	Art Unit				
	Dillon Cody	2183				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA.  Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication.  If NO period for reply is specified above, the maximum statutory period variety of the status of the st	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timused and will expire SIX (6) MONTHS from a cause the application to become ABANDONE!	L. lely filed the mailing date of this communication.  D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 31 O						
,	·					
	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	33 O.G. 213.				
Disposition of Claims						
4)  Claim(s) 1-46 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5)  Claim(s) is/are allowed. 6)  Claim(s) 1-46 is/are rejected. 7)  Claim(s) is/are objected to. 8)  Claim(s) are subject to restriction and/o	wn from consideration.					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on 31 October 2003 is/are.  Applicant may not request that any objection to the  Replacement drawing sheet(s) including the correct  11) The oath or declaration is objected to by the Ex	a)⊠ accepted or b)⊡ objected drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s)  1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	(PTO-413)				
<ul> <li>2) Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)</li> <li>Paper No(s)/Mail Date 9/24/2004.</li> </ul>	Paper No(s)/Mail Da					

Art Unit: 2183

#### **DETAILED ACTION**

1. Claims 1-46 are pending.

### Papers Filed

Examiner acknowledges receipt of claims, disclosure, and drawings filed 31
 October 2003, declaration filed 31 March 2004, information disclosure statement filed
 September 2004 and preliminary amendment filed 28 April 2005.

#### Title

3. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

## Claim Rejections - 35 USC § 101

4. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

5. Claims 23-30 and 45-46 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. Page 19 of the specification defines "computer readable media" to include "transmission-type media". Transmission media are not tangible, and hence, non-statutory.

## Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 7. Claims 1-46 are rejected under 35 U.S.C. 102(b) as being anticipated by Kubota et al. (U.S. Patent No. 6,167,505) hereinafter referred to as Kubota.
- 8. As per claim 1, Kubota discloses an instruction fetch unit for a processor, comprising:

a first recoder; (Fig. 2 decoder 160)

and a second recoder (Fig. 2 Ext registers 172 and 174 in combination with Immediate Generation Circuit 170) coupled to the first recoder, *The examiner asserts* that the recoders are coupled by means of the bus shown in Fig. 2.

wherein the first recoder passes information regarding a first instruction (prefix instruction) to the second recoder, and the second recoder recodes a second instruction (target instruction) based on the information passed by the first recoder. (Col. 9 lines 19-36 and lines 52-57)

9. As per claim 2, Kubota discloses the instruction fetch unit of claim 1, further comprising: an instruction-staging unit coupled to the first recoder and the second

Art Unit: 2183

recoder that dispatches an instruction from an instruction cache to one of the first recoder and the second recoder. The examiner asserts that there must inherently exist a dispatch unit to move instructions from instruction register 150 (Fig. 2) to the recoders (decoder 160 and combination of parts 170, 172, 174). Without a means to dispatch an instruction to either of the decoders, no instruction would be able to be executed in Kubota's system.

- 10. As per claim 3, Kubota discloses the instruction fetch unit of claim 1, wherein the processor executes instructions having X-bits and belonging to a first instruction set (instructions having 16-bits of length. Examples pictured in Figs. 7 and 9) and instructions having Y-bits and belonging to a second instruction set (Instructions having 32-bits of length. Examples pictured in Figs. 8 and 10), Y being greater than X, and wherein the first recoder and the second recoder recode an instruction belonging to one of the first instruction set and the second instruction set to form a recoded instruction having at least Y-bits. (Col. 9 line 58 col. 10 line 12)
- 11. As per claim 4, Kubota discloses the instruction fetch unit of claim 3, wherein each instruction of the first instruction set has 16-bits and each instruction of the second instruction set has 32-bits. (Col. 9 line 58 col. 10 line 12)
- 12. As per claim 5, Kubota discloses the instruction fetch unit of claim 3, wherein the first instruction set includes an expand instruction used to enlarge an immediate field of

Application/Control Number: 10/698,061

Art Unit: 2183

an expandable instruction of the first instruction set, (Col. 8 lines 43-49) and wherein the first recoder passes at least one bit of the expand instruction to the second recoder thereby allowing the second recoder to recode the expandable instruction. (Col. 10 lines 20-26)

- 13. As per claim 6, Kubota discloses the instruction fetch unit of claim 5, wherein the at least one bit of the expand instruction is concatenated to at least one bit of the expandable instruction. (Col. 10 lines 9-13)
- 14. As per claim 7, Kubota discloses the instruction fetch unit of claim 3, wherein the first instruction set includes a mode-switching instruction that switches the operating mode of the processor, and wherein the first recoder passes one or more bits to the second recoder thereby allowing the second recoder to recode the mode-switching instruction. (Col. 18 lines 48-67) *The examiner asserts that a branch instruction constitutes a mode-switch instruction as the flow of a program switches along with the processor taking the branch path.*
- 15. As per claim 8, Kubota discloses the instruction fetch unit of claim 7, wherein the one or more bits are concatenated to at least one bit of the mode-switching instruction.

  (Col. 18 lines 48-67)

Art Unit: 2183

16. As per claim 9, Kubota has taught a processor employing the fetch unit of claim 1, consequently claim 9 is rejected for the same reasons set forth in the rejection of claim 1 above.

- 17. As per claim 10, Kubota has taught a processor employing the fetch unit of claim 2, consequently claim 10 is rejected for the same reasons set forth in the rejection of claim 2 above.
- 18. As per claim 11, Kubota has taught a processor employing the fetch unit of claim 3, consequently claim 11 is rejected for the same reasons set forth in the rejection of claim 3 above.
- 19. As per claim 12, Kubota has taught a processor employing the fetch unit of claim 4, consequently claim 12 is rejected for the same reasons set forth in the rejection of claim 4 above.
- 20. As per claim 13, Kubota has taught a processor employing the fetch unit of claim 5, consequently claim 13 is rejected for the same reasons set forth in the rejection of claim 5 above.

Art Unit: 2183

21. As per claim 14, Kubota has taught a processor employing the fetch unit of claim 6, consequently claim 14 is rejected for the same reasons set forth in the rejection of claim 6 above.

- 22. As per claim 15, Kubota has taught a processor employing the fetch unit of claim 7, consequently claim 15 is rejected for the same reasons set forth in the rejection of claim 7 above.
- 23. As per claim 16, Kubota has taught a processor employing the fetch unit of claim 8, consequently claim 16 is rejected for the same reasons set forth in the rejection of claim 8 above.
- 24. As per claim 17, Kubota has taught a processing system employing the fetch unit of claim 1, consequently claim 17 is rejected for the same reasons set forth in the rejection of claim 1 above.
- 25. As per claim 18, Kubota has taught a processing system employing the fetch unit of claim 2, consequently claim 18 is rejected for the same reasons set forth in the rejection of claim 2 above.

Art Unit: 2183

26. As per claim 19, Kubota has taught a processing system employing the fetch unit of claim 3, consequently claim 19 is rejected for the same reasons set forth in the rejection of claim 3 above.

- 27. As per claim 20, Kubota has taught a processing system employing the fetch unit of claim 4, consequently claim 20 is rejected for the same reasons set forth in the rejection of claim 4 above.
- 28. As per claim 21, Kubota has taught a processing system employing the fetch unit of claim 5, consequently claim 21 is rejected for the same reasons set forth in the rejection of claim 5 above.
- 29. As per claim 22, Kubota has taught a processing system employing the fetch unit of claim 6, consequently claim 22 is rejected for the same reasons set forth in the rejection of claim 6 above.
- 30. As per claim 23, Kubota has taught a computer readable medium comprising a microprocessor core employing the fetch unit of claim 1, consequently claim 23 is rejected for the same reasons set forth in the rejection of claim 1 above.

Art Unit: 2183

31. As per claim 24, Kubota has taught a computer readable medium comprising a microprocessor core employing the fetch unit of claim 2, consequently claim 24 is rejected for the same reasons set forth in the rejection of claim 2 above.

- 32. As per claim 25, Kubota has taught a computer readable medium comprising a microprocessor core employing the fetch unit of claim 3, consequently claim 25 is rejected for the same reasons set forth in the rejection of claim 3 above.
- 33. As per claim 26, Kubota has taught a computer readable medium comprising a microprocessor core employing the fetch unit of claim 4, consequently claim 26 is rejected for the same reasons set forth in the rejection of claim 4 above.
- 34. As per claim 27, Kubota has taught a computer readable medium comprising a microprocessor core employing the fetch unit of claim 5, consequently claim 27 is rejected for the same reasons set forth in the rejection of claim 5 above.
- 35. As per claim 28, Kubota has taught a computer readable medium comprising a microprocessor core employing the fetch unit of claim 6, consequently claim 28 is rejected for the same reasons set forth in the rejection of claim 6 above.

Art Unit: 2183

36. As per claim 29, Kubota has taught a computer readable medium comprising a microprocessor core employing the fetch unit of claim 7, consequently claim 29 is rejected for the same reasons set forth in the rejection of claim 7 above.

- 37. As per claim 30, Kubota has taught a computer readable medium comprising a microprocessor core employing the fetch unit of claim 8, consequently claim 30 is rejected for the same reasons set forth in the rejection of claim 8 above.
- 38. As per claim 31, Kubota discloses a method for recoding instructions for execution by a computer readable medium comprising a microprocessor core, comprising:
- (a) fetching an expand instruction (prefix instruction) and an expandable instruction (target instruction) from an instruction cache; *The examiner asserts that there must inherently exist a dispatch unit to move instructions from instruction register* 150 (Fig. 2) to the recoders (decoder 160 and combination of parts 170, 172, 174). Without a means to dispatch an instruction to either of the decoders, no instruction would be able to be executed in Kubota's system.
- (b) dispatching the expand instruction to a first recoder and dispatching the expandable instruction to a second recoder; (Col. 9 lines 19-36 and lines 52-57)
- (c) generating at the first recoder at least one information bit based on the expand instruction; (Col. 10 lines 20-26) The examiner asserts that the immediate data is generated from the first instruction in order for it to be passed to the second recoder.

Art Unit: 2183

and (d) recoding the expandable instruction at the second recoder using the at least one information bit generated at the first recoder. (Col. 10 lines 20-26) *The* examiner asserts that the second recoder recodes the second instruction by adding the data from the first instruction to an immediate field in the second.

- 39. As per claim 32, Kubota discloses the method of claim 31, wherein step (a) comprises:
- (i) fetching the expand instruction during a first clock cycle of the computer readable medium comprising a microprocessor core; and
- (ii) fetching the expandable instruction during a subsequent clock cycle of the computer readable medium comprising a microprocessor core. *Fig. 5 depicts fetching an EXT instruction (prefix instruction) in clock cycle number 2 and an LD instruction (target instruction) in the subsequent clock cycle.*
- 40. As per claim 33, Kubota discloses the method of claim 31, wherein the at least one information bit based on the expand instruction is generated at the first recoder during a first clock cycle of the processor, and the expandable instruction is recoded at the second recoder during a second clock cycle of the computer readable medium comprising a microprocessor core. Fig. 5 depicts fetching an EXT instruction (prefix instruction) in clock cycle number 2 and an LD instruction (target instruction) in the subsequent clock cycle. When the EXT\_LOW signal 550 is high in clock cycle number

Application/Control Number: 10/698,061

Art Unit: 2183

three, the data from the target instruction is combined with the data from the previous EXT instruction (col. 12 lines 21-31).

41. As per claim 34, Kubota discloses the method of claim 33, further comprising a step between steps (c) and (d) of:

storing the at least one information bit generated at the first recoder in an information storage buffer. The examiner asserts that registers EXT1 and EXT2 (Fig. 2) constitute storage buffers. Col. 12 lines 21-31 indicate that data has been stored therein.

42. As per claim 35, Kubota discloses a method for recoding instructions for execution by a processor, comprising:

fetching a plurality of instructions from an instruction cache (Fig. 2 instruction register 150), wherein the plurality of instructions includes a first instruction (prefix instruction) and a second instruction (target instruction), and the first instruction is different from the second instruction; *The examiner asserts that the instructions must inherently be fetched before being decoded.* 

dispatching the first instruction to a first recoder and the second instruction to a second recoder; (Col. 9 lines 19-36 and lines 52-57)

and recoding the first and second instructions within a single clock cycle. The examiner asserts that there exists a single clock cycle in which the results of the

Art Unit: 2183

combination of immediate data from the first and second instructions becomes valid.

This is the cycle in which the instructions are considered to be "recoded."

- 43. As per claim 36, Kubota discloses the method of claim 35, wherein the recoding of the second instruction is performed using information from the first instruction. (Col. 12 lines 21-31)
- 44. As per claim 37, Kubota discloses the method of claim 35, further comprising forwarding information from the first recoder to the second recoder, such information used by the second recoder to perform a recoding operation. (Col. 12 lines 21-31)
- 45. As per claim 38, Kubota discloses an instruction fetch unit for a processor comprising:

a first recoder (Fig. 2 decoder 160);

and a second recoder (Fig. 2 Ext registers 172 and 174 in combination with Immediate Generation Circuit 170) which operates in parallel with the first recoder;

wherein the first recoder recodes a first instruction and the second recoder recodes a second instruction within a single clock cycle, and the first instruction is different from the second instruction. (Col. 9 lines 19-36 and lines 52-57) The examiner asserts that there exists a single clock cycle in which the results of the combination of immediate data from the first and second instructions becomes valid. This is the cycle in which the instructions are considered to be "recoded."

Art Unit: 2183

46. As per claim 39, Kubota discloses the instruction fetch unit of claim 38, wherein the second recoder recodes the second instruction using information from the first instruction. (Col. 12 lines 21-31)

- 47. As per claim 40, Kubota discloses the instruction fetch unit of claim 39, wherein the first recoder is coupled to the second recoder. *Fig. 2 discloses the two recoders* being coupled together by means of a bus.
- 48. As per claim 41, Kubota discloses the instruction fetch unit of claim 1, wherein the first instruction is used to enlarge a field of the second instruction and the information is at least one bit of the first instruction. (Col. 9 lines 19-36 and lines 52-57)
- 49. As per claim 42, Kubota discloses the instruction fetch unit of claim 41, wherein the first instruction is an expand instruction, the second instruction is an expandable instruction and the field is an immediate field. (Col. 9 lines 19-36 and lines 52-57)
- 50. As per claim 43, Kubota has taught a processor employing the fetch unit of claim 41, consequently claim 43 is rejected for the same reasons set forth in the rejection of claim 41 above.

Art Unit: 2183

51. As per claim 44, Kubota has taught a processor employing the fetch unit of claim 42, consequently claim 44 is rejected for the same reasons set forth in the rejection of claim 42 above.

- As per claim 45, Kubota has taught a computer readable medium comprising a microprocessor core employing the fetch unit of claim 41, consequently claim 45 is rejected for the same reasons set forth in the rejection of claim 41 above.
- As per claim 46, Kubota has taught a computer readable medium comprising a microprocessor core employing the fetch unit of claim 42, consequently claim 46 is rejected for the same reasons set forth in the rejection of claim 42 above.

#### Conclusion

54. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Narita et al. (U.S. Patent No. 5,408,625) disclose a system employing multiple decoders and an expand instruction.

55. The following is text cited from 37 CFR 1.111(c): In amending in reply to a rejection of claims in an application or patent under reexamination, the applicant or patent owner must clearly point out the patentable novelty which he or she thinks the claims present in view of the state of the art disclosed by the references cited or the

Art Unit: 2183

objections made. The applicant or patent owner must also show how the amendments avoid such references or objections.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dillon Cody whose telephone number is 571-272-8401. The examiner can normally be reached on Mon - Fri, 8 AM - 5 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on 571-272-4162. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DJC

EDDIE CHAN

EDDIE CHAN

EXAMINER

UPERVISORY PATENT EXAMINER

2100

ENVISOR OF CENTER 2100